

Please type a plus sign (+) inside this box →



PTO/SB/05 (4/98)

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No.	21778.04100
First Inventor or Application Identifier	Megumi Kamimura
Title	Method Of And Apparatus For Creating Contents
Express Mail Label No.	EL401493705US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

ADDRESS TO:
Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages 19]
(preferred arrangement set forth below)
- Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 8]
4. Oath or Declaration [Total Pages 3]
- a. ☒ Newly executed (original or copy)
- b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
- i. ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting
inventor(s) named in the prior application,
see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
- a. ☐ Computer Readable Copy
- b. ☐ Paper Copy (identical to computer copy)
- c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☒ Assignment Papers (cover sheet & document(s))
8. ☒ 37 C.F.R. §3.73(b) Statement ☒ Power of Attorney
(when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
13. ☐ *Small Entity Statement(s) ☐ Statement filed in prior application.
(PTO/SB/09-12) Status still proper and desired
14. ☒ Certified Copy of Priority Document(s)
(if foreign priority is claimed) Japanese Patent
Application No. P11-093753, filed: March 31, 1999
15. ☒ Other: Certification of "Expres Mail"
Mailing under 37 CFR 1.10

***NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO
PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS
REQUIRED (37 C.F.R. §1.27), EXCEPT IF ONE FILED IN A
PRIOR APPLICATION IS RELIED UPON (37 C.F.R. §1.28).**


16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____ / _____

Prior application information: Examiner: _____

Group / Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only. The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS☐ Customer Number or Bar Code Label  (insert Customer No. or Attach bar code label here) or ☒ Correspondence address below

Name	Philip M. Shaw, Jr.				
Address	Crosby, Heafey, Roach & May Four Embarcadero Center, 19th Floor				
City	San Francisco	State	California	Zip Code	94111
Country	USA	Telephone	(415) 543-8700	Fax	(415) 391-8269
Name (Print/Type)	Philip M. Shaw, Jr.			Registration No. (Attorney/Agent)	25,376
Signature				Date	February 22, 2000

12187677.1

Please type a plus sign (+) inside this box →

+

PTO/SB/05 (4/98)

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Certification under 37 CFR 1.10

EL401493705US

"Express Mail" mailing number

February 23, 2000

Date of Deposit

I hereby certify that this application is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box PATENT APPLICATION, Washington D.C. 20231

Lois Simón Petitpas

(Typed or printed name of person mailing application)

LS Petitpas
(Signature of person mailing application)

12187677.1

METHOD OF AND APPARATUS FOR CREATING CONTENTS

Inventor: Megumi Kamimura

BACKGROUND OF THE INVENTION

Field of the Invention:

5 The present invention generally relates to a method of and apparatus for creating contents. More particularly, this invention relates to a method of and apparatus for creating contents in which upon authoring processing for creating audio or video source information as digital data that can be recorded on a recording medium, contents information concerning all
10 compressed source information may be generated at the same time the audio or video information may be compressed and the contents information thus generated may be recorded together with the compressed data thus processed by the authoring processing, whereby a time required for making contents when the compressed source information may be stored in a different recording
15 medium may be eliminated to thereby reduce a storage processing time and a rate of errors which will be caused when contents are created can be improved.

Description of the Related Art:

 A data processing in which source data such as audio data, video data or superimposition data may be encoded in accordance with respective
20 data compression systems and may finally become data of the type that can be recorded on a recording medium such as a disk (digital data) might be called an authoring processing.

 In the authoring processing, audio data as well as video data may be compressed in accordance with an MPEG2 (Moving Pictures Experts Group
25 2) standard. Compressed data may be recorded on a recording medium at every source data such as audio data source or compressed data may be recorded and saved under the condition that these compressed data may be multiplexed.

 When the compressed data (source data) obtained after the authoring processing is downloaded to other recording medium, for example,

when the compressed data is downloaded from the above-mentioned recording medium to an in-flight service AV (audio/visual) server installed within the cabin (e.g. data storage apparatus of mass-storage using a hard disk drive HDD), in order to facilitate the future retrieval, contents information such as titles or
5 genres of source data recorded on the recording medium (compressed data obtained after the authoring processing) may be added to the compressed data and then downloaded onto this AV server.

The above-mentioned AV server apparatus for use within the cabin should not record new source information thereon or existing source information
10 of the AV server should not be replaced with new source information under the condition that it may be disassembled from the cabin. The reason for this is that once installed, in-flight equipment should not be carried to the outside of the cabin from a safety administration standpoint according to the prescription.

Consequently, when the above-mentioned source information is
15 downloaded onto the AV server apparatus installed within the cabin, such download processing should be executed within the cabin, and contents information of source should be inputted within the cabin.

However, when a number of source information may be recorded or when there may be many items of contents information to be inputted, it
20 takes a lot of time for inputting such many items of contents information to be inputted. Also, when contents information may be inputted by an operator from the airplane manufacturer, such operator may not be an expert operator. As a result, the operator tends to make a mistake when inputting contents information. There is then the risk that specific source information will not be
25 retrieved in the future. It is needless to say that this problem is not caused by the reason that the storage means such as the AV server apparatus should not be moved according to the prescriptions.

SUMMARY OF THE INVENTION

30 It is an object of the present invention to provide a method of and apparatus for creating contents in which contents information of sources may be inputted and saved in a recording medium at the same time source data may

be compressed and the downloading of the contents of the recording medium may be finished only by the download processing so that a time for inputting at least contents information can be eliminated and a mistake which will occur upon inputting contents information can be avoided.

5 According to an aspect of the present invention, there is provided a method of creating contents comprising the steps of inputting first contents information concerning an audio input source or a video input source or an audio and video source, compressing a signal of the input source according to the need, recording a compressed signal of the input source on a recording medium,
10 designating recording position information useful for recording the compressed signal of the input source on the recording medium, creating a table containing at least more than one second contents information concerning a predetermined input source in which the recording position information is added to the first contents information concerning the input source and recording the table on the
15 recording medium.

 According to other aspect of present invention, there is provided an apparatus for recording contents which is comprised of a circuit for inputting first contents information concerning an audio input source or a video input source or an audio and video input source, a compressing circuit for
20 compressing a signal of the input source according to the need, a control circuit for conferring recording position information useful for recording the compressed signal of the input source on a recording medium, a creation circuit for creating a table containing at least more than one second contents information concerning a predetermined input source in which the recording
25 position information is added to the first contents information concerning the predetermined input source, a data adding circuit for supplying the compressed signal of the compressing circuit and the table of the creation circuit to the recording medium and a recording medium having the compressed signal of the input source and the table recorded thereon.

30 According to a further aspect of the present invention, there is provided a recording medium on which an audio input source or a video input source or an audio and video source is recorded. A contents recording medium

has recorded thereon a signal of the input source compressed according to the need and a table containing at least more than one second contents information in which recording position information for recording on the recording medium is added to first contents information concerning the input source.

5 In accordance with a further aspect of the present invention, there is provided a method of downloading compressed data and a first table from a first recording medium on which compressed data of an audio input source or a video input source of an audio and video input source and the first table indicating first contents information containing reproducing position information
10 concerning the input source are recorded on a second recording medium. This method of downloading contents comprises the steps of downloading the first table from the first table, reading out compressed data of a predetermined input source from the first recording medium based on the reproducing position information of the first contents information concerning a predetermined input
15 source on the first table and downloading the compressed data thus read to the second recording medium, memorizing recording position information useful for recording the compressed data on the second recording medium, creating a second table containing at least more than one second contents information in which reproducing position information in the first contents information
20 concerning the predetermined input information is replaced with recording position information useful for recording on the second recording medium and recording the second table on a second recording medium.

 In accordance with yet a further aspect of the present invention, there is provided a contents storage and distribution apparatus having
25 downloaded thereto compressed data and a first table from a first recording medium in which compressed data of an audio input source or a video input source or an audio and video input source and the first table indicating first contents information containing reproducing position information concerning said input source are recorded together. This contents storage and distribution
30 apparatus comprises a reproduction circuit for downloading the first table from the recording medium, a second recording medium having recorded thereon compressed data of a predetermined input source read out from the first

recording medium based on reproducing position information of the first contents information concerning a predetermined input source on the first table and a control circuit for conferring recording position information useful for recording the compressed data on the second recording medium and creating a second table containing at least more than one second contents information concerning a predetermined input source in which reproducing position information in the first contents information concerning the predetermined input source is replaced with recording position information for recording on the second recording medium.

According to the present invention, a variety source information such as audio and video source information may be compressed in accordance with a predetermined compression format. Concurrently with this compression processing, a contents table of recorded source information may be created by inputting contents information of recorded source. The contents table thus created may be recorded on a starting portion of a recording medium to be saved.

When the source information thus compressed may be downloaded onto a different storage apparatus such as an AV server apparatus, the contents table also may be downloaded simultaneously. By reading the contents table thus downloaded, the order in which source information should be distributed may be confirmed, and source information to be distributed to the passengers in the cabin may be confirmed.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram showing a main portion of an authoring apparatus to which a contents creating apparatus according to an embodiment of the present invention is applied;

FIG. 2 is a diagram showing a table of audio contents information;

FIG. 3 is a diagram showing a table of video contents information;

FIG. 4 is a block diagram showing a main portion of a download apparatus according to an embodiment of the present invention;

FIG. 5 is a diagram showing a table of retrieval audio contents information;

FIG. 6 is a diagram showing a table of retrieval video contents information;

5 FIG. 7 is a flowchart to which reference will be made in explaining the manner in which contents information is recorded; and

FIG. 8 is a flowchart to which reference will be made in explaining a download processing.

10 **DESCRIPTION OF THE PREFERRED EMBODIMENT**

A method of and apparatus for creating contents according to an embodiment of the present invention will hereinafter be described with reference to the drawings, in which case video and audio data are downloaded to a server apparatus installed within the cabin.

15 FIG. 1 of the accompanying drawings is a block diagram showing a main portion of an authoring apparatus 10 which may function as a contents creation apparatus according to an embodiment of the present invention.

As shown in FIG. 1, the authoring apparatus 10 may comprise a source 20 for selecting a source to be recorded and an authoring processing section 30 in which the selected source may be compressed in a predetermined compression fashion and contents information for the compressed source may be inputted. The compressed source containing contents information may be recorded and retained in a archive recording medium 40 suitable for such compressed source.

25 Arrangements of respective sections will be described below in detail.

Roughly classified, the source 20 might be an audio source and a video source. The audio source will be described first. There may be an analog audio source and a digital audio source. As the analog audio source, there may generally be considered a reproduced audio signal from a cassette tape 21 and a reproduced audio signal from a compact disc (CD) 23. As the digital audio

source, there may be considered a digital audio signal from a digital audio tape recorder (DAT) 24.

As shown in FIG. 1, the analog audio signal may be supplied to the authoring processing section 30. The authoring processing section 30 may
5 include a control section 31 which might be formed of a CPU (central processing unit). A memory means 32 such as a ROM (read-only memory) connected to this control section 31 has stored therein a control program for authoring processing, or the like.

The analog audio signal supplied to the authoring processing
10 section 30 may be supplied to an A/D (analog-to-digital) converting section 33, in which it is converted into a digital audio signal, and then supplied to a data compression section 34. The data compression section 34 may compress data in accordance with the MPEG2 (Moving Pictures Experts Group 2) standard. Hence, an MPEG encoder may be used as the data compression section 34.

15 The digital audio signal from the DAT 24 may not be supplied to the A/D converting section 33 but may be directly supplied to the MPEG encoder 34, in which it is converted into compressed data of MPEG format.

On the other hand, typical video sources may be an analog video signal from a video tape recorder (VTR) 25 and a digital video signal from a
20 digital video disk (DVD) 26. Both of the analog video signal and the digital audio signal may contain a digital audio signal. The digital video signal may be a signal conforming to the MPEG standard. The analog video signal from the VTR 25 may be supplied to the above-mentioned A/D converting section 33, in which it may be converted into a digital signal. Then, this digital signal may be
25 supplied to and compressed into data of MPEG2 format by the data compression section 34.

Audio and video signals from a satellite broadcasting and a broadcasting satellite (BS) 27 using a communication satellite may be digital signals (MPEG signals). A digital video signal (digital audio signal) from a
30 specific broadcasting station may be selected by a tuner 35.

The compressed data from the data compression section 34 and the MPEG compressed data outputted from the tuner 35 may be supplied

through a data adding means 37 to a driver 38 which may drive the recording medium 40. Contents information from a contents information creation means 36 may also be supplied to the data adding means 37, and may be supplied to the above-mentioned driver 38 after all compressed data had been recorded on the recording medium 40. In this embodiment, the area of the starting portion of the recording medium may be reserved as a contents information recording area, and a table of contents information may be recorded on this contents information recording area under control of the control section 31.

Contents information may be inputted by using a keyboard 50 or an external input means 51 such as a mouse. Inputted data may be supplied through the control section 31 to a contents information information creation means 36 and thereby a table of contents information may be created. A program for creating a table of contents information may be stored in the ROM 32.

FIGS. 2 and 3 show examples (tables) of source contents information. FIG. 2 shows a table of contents information concerning an audio signal. In FIG. 2, an item "audio channel" may represent the recording order number (channel number). An item "audio" may represent information which may determine whether audio data is monaural audio data or stereo audio data. An item "contents index" may represent genres of audio sources. FIG. 2 illustrates five genres (classic music, popular music, etc.). An item "contents time" may represent a time period of audio sources (net time).

When the contents creation apparatus may be an AV (audio/visual) apparatus on the airplane, available services become different depending on passenger classes so that different distribution services are available for first class, business class and economy class. Therefore, audio and video sources may be classified, and the available class may represent such passenger class. "All" in the available class may represent that audio and video sources of the same contents should be distributed to all passenger classes.

An item "available route" may represent the airway airplanes. In the illustrated example, there may be displayed manufacturers of available airplanes as well as a departure, i.e. Tokyo (Narita) and destinations. In this

connection, "B747" may represent Boeing 747. An item "priority" may represent a priority concerning an access order (distribution order) which may be set with reference to data indicating the history and situation in which audio and video sources had been used.

5 When an operator may input data ranging from the channel No. to the priority, as shown in FIGS. 2 and 3, the starting addresses in which respective sources should be recorded may automatically be given to the contents information creation means 36. At the same time, the serial Nos. indicating the order in which the sources should be inputted also may be
10 automatically given to the contents information creation means 36. The contents information table (data) may be recorded on the recording area secured on the starting address side of the recording medium.

 Audio source compressed data containing the contents information table data may be supplied to the driver 38 which may drive the recording
15 medium 40 as shown in FIG. 1. The arrangement of the driver may be changed depending upon the type of the recording medium used therefor. When the recording medium 40 may be a card-like recording medium such as a PC card (personal computer card) 41 or a flash memory 42, a PC card interface (I/F) 38a may be used as the driver 38. Similarly, when the recording medium 40 may be
20 a CD-ROM 43, a CD-R (CD-rewritable) driver 38b may be used as the driver 38. When the recording medium 40 may be the DVD-RAM 45, a DVD-RAM driver 38c may be used as the driver 38. Then, when the tape 46 may be used as the recording medium 40, a tape streamer 38d may be used as the driver 38.

 FIG. 4 is a block diagram showing a main portion of a download
25 apparatus 60 used when compressed data is downloaded to a server apparatus 65 installed within the cabin of the airplane by using the recording medium 40 in which compressed data of audio and video data were recorded according to an embodiment of the present invention.

 In order to download all of compressed data from a plurality of
30 recording mediums 40 which may be different in type, this download apparatus 60 may include a PC card interface 61 and a tape streamer 62 which may contain the flash memory 42 in this embodiment. Therefore, when compressed

data may be retained in the CD-ROM 43 or the DVD-RAM 45, such compressed data may be downloaded via a PC card by using a portable driver (not shown) on which the CD-ROM 43 or the DVD-RAM 45 may be loaded. The above-mentioned portable driver might be of either the type incorporated within the
5 server apparatus 65, which will be described later on, or the type of the external portable driver.

When the recording medium 40 may be loaded on the driver 61 or the tape streamer 62 serving as the corresponding data read means, the compressed data may be read out from the recording medium 40 under control
10 of the control section 63 formed of a personal computer, and the compressed data thus read may be written in the corresponding area of the AV server apparatus 65 which may function as a data storage apparatus of a mass storage using a HDD (hard disk drive), or the like. This compressed data may be written in accordance with a download processing program provided within
15 the control section 63. A retrieval contents information table also may further be created in accordance with this program.

Data of the retrieval contents information table created upon downloading may be stored in a memory means 67 such as a RAM. Also, the contents of such data can be displayed on a display section 68 such as an LCD
20 (liquid-crystal display).

FIGS. 5 and 6 show examples of such retrieval contents information tables. The tables shown in FIGS. 5 and 6 may substantially be the same as those shown in FIGS. 2 and 3, and may differ from those shown in FIGS. 2 and 3 only in that the items on the second column are changed into the
25 HDD starting address in the server apparatus 65. The HDD starting address may be the starting address of the HDD 66 in which the retrieval contents information table may be recorded when compressed data of audio source or video source may be downloaded onto the HDD 66. The operator may be able to retrieve audio source or video source contents information by selecting the
30 serial No. or by designating the HDD starting address.

When compressed data of audio source or video source may be downloaded onto the server apparatus 65, the operator may operate only a

download start key (not shown) provided on the control section 63, and other keys need not be controlled. Therefore, the operator need not input contents information after having confirmed the audio or video source when compressed data of audio source or video source may be downloaded onto the server

5 apparatus 65. In addition, since the operator may operate only a download key, even when an operator in the airplane manufacturer may execute the downloading, an error can be prevented from occurring in the download processing.

FIG. 7 is a flowchart to which reference will be made in explaining the manner in which the above-mentioned contents information may be generated together with an audio source and a video source.

Referring initially to FIG. 7, and following the start of operation, a source (audio source or video source) may be selected at a step 71. Then, control goes to a step 72, wherein contents information of the selected source may be inputted. The contents information may be the contents of the items shown in FIG. 2 or 3 and may be inputted by the operator. Since the operator can input contents information while confirming data, there may be lowered a probability that a mistake will occur when the operator inputs contents information.

20 After the operator finished inputting all contents information for the selected source, the serial number of the selected source and the recording start address of contents information on the recording medium 40 may be automatically given respectively at steps 73 and 74. Thereafter, source data is compressed according to the MPEG standard at a step 75. Then, control goes to the next decision step 76, whereat it is determined whether or not the compression of the source data is ended. If the compression of the source data is ended as represented by a YES at the decision step 76, then control goes to a step 77. In the step 77, the compressed data is recorded on the recording medium 40. If the compression of the source data is not ended as represented by a NO at the decision step 76, then control goes back to the step 75, and the following step will be executed.

Control goes to the next decision step 78, whereat it is determined whether or not the input processing of such contents information, the automatic providing processing of the recording start address and the data compression processing are effected on all source information. If the above-mentioned

5 authoring processing is ended as represented by a YES at the decision step 78, then control goes to a step 79. In the step 79, the tables of such contents information (see FIGS. 2 and 3) are created. Then, control goes to a step 80, whereat data indicative of the contents information tables thus created are recorded on the contents recording area (starting address portion of the

10 recording medium 40) set in the recording medium 40. If the above-mentioned authoring processing is not ended as represented by a NO at the decision step 78, then control goes back to the step 71, and the following steps will be executed again. Then, a series of this processing may be ended.

FIG. 8 is a flowchart to which reference will be made in explaining

15 the manner in which contents information of source may be downloaded onto the AV server apparatus 65.

Referring to FIG. 8, and following the start of operation, at a step 91, the recording medium 40 that should be downloaded may be set to a drive (including a tape streamer) provided within the AV server apparatus 65. Control

20 goes to a step 92, whereat data indicative of contents information tables are read out from an arbitrary source of the recording medium 40 and then saved.

Control goes to a step 93, whereat source data may be downloaded from the serial No. 1 after the data indicative of contents information table had been read out from the arbitrary source of the recording

25 medium 40. Then, the starting address of the source data thus downloaded may be memorized in the HDD 66 at a step 94. Control goes to the next decision step 95, whereat it is determined whether or not the above-mentioned processing is effected on all sources of the recording medium 40. If data of all sources are downloaded as represented by a YES at the decision step 95, then

30 control goes to a step 96. In the step 96, the tables of retrieval contents information (see FIGS. 5 and 6) are created from the starting address of the downloaded data and the contents information tables, and these tables are

saved. After this data saving is ended, a series of download processing may be ended.

While the present invention is applied to the contents information creation processing and the download processing required when compressed
5 data is downloaded onto the AV server apparatus installed within the cabin of airplane as described above, the compressed data storage means may not be limited to such AV server apparatus.

As set forth above, according to the present invention, when the authoring processing is executed, contents information of authoring source may
10 be created. Further, according to the present invention, source information in which contents information were created by the authoring processing may be downloaded.

According to the present invention, since contents information can be created upon authoring processing, the operator can input contents
15 information under circumstances free from time and place restrictions, and hence contents information without error can be saved in the recording medium. Thus, since a work for inputting contents information on the airplane manufacturer side in which the airplane should be maintained and inspected can be removed, the input error having time and place restrictions can be
20 substantially completely avoided.

Therefore, according to the present invention, there can be provided an authoring system which is extremely suitably applied to the audio and video distribution system for use with the airplane, or the like.

Having described a preferred embodiment of the invention with
25 reference to the accompanying drawings, it is to be understood that the invention is not limited thereto and that various changes and modifications could be effected therein by one skilled in the art without departing from the spirit or scope of the invention as defined in the appended claims.

WHAT IS CLAIMED IS:

1 1. A method of creating contents comprising the steps of:
2 inputting first contents information concerning an audio input
3 source or a video input source or an audio and video source;
4 compressing a signal of said input source according to the need;
5 recording a compressed signal of said input source on a recording
6 medium;
7 designating recording position information useful for recording the
8 compressed signal of said input source on said recording medium;
9 creating a table containing at least more than one second contents
10 information concerning a predetermined input source in which said recording
11 position information is added to said first contents information concerning said
12 input source; and
13 recording said table on said recording medium.

1 2. A method of creating contents as claimed in claim 1,
2 wherein said input source signal is compressed in accordance with an MPEG
3 standard.

1 3. A method of creating contents as claimed in claim 1,
2 wherein said first contents information contains at least titles of input sources,
3 reproduction times of titles and priority information based on the situation in
4 which the input sources had been used.

1 4. A method of creating contents as claimed in claim 1,
2 wherein said table is recorded on a starting portion of a recording portion on
3 which the compressed signal of said input source was recorded.

1 5. An apparatus for recording contents comprising:
2 means for inputting first contents information concerning an audio
3 input source or a video input source or an audio and video input source;

4 compressing means for compressing a signal of said input source
5 according to the need;
6 control means for conferring recording position information useful
7 for recording the compressed signal of said input source on a recording medium;
8 creation means for creating a table containing at least more than
9 one second contents information concerning a predetermined input source in
10 which said recording position information is added to said first contents
11 information concerning said predetermined input source;
12 data adding means for supplying the compressed signal of said
13 compressing means and the table of said creation means to said recording
14 medium; and
15 a recording medium having the compressed signal of said input
16 source and said table recorded thereon.

1 6. An apparatus for creating contents as claimed in claim 5,
2 wherein the signal of said input source is compressed in accordance with an
3 MPEG standard.

1 7. An apparatus for creating contents as claimed in claim 5,
2 wherein said first contents information contains at least titles of input sources,
3 reproduction times of titles and priority information based on the situation in
4 which the input sources had been used.

1 8. An apparatus for creating contents as claimed in claim 5,
2 wherein said table is recorded on a starting portion of a recording portion on
3 which the compressed signal of said input source was recorded.

1 9. In a recording medium on which an audio input source or a
2 video input source or an audio and video source is recorded, a contents
3 recording medium having recorded thereon a signal of said input source
4 compressed according to the need and a table containing at least more than one
5 second contents information in which recording position information for

6 recording on said recording medium is added to first contents information
7 concerning said input source.

1 10. A contents recording medium as claimed in claim 9, wherein
2 the signal of said input source is compressed in accordance with an MPEG
3 standard.

1 11. A contents recording medium as claimed in claim 9, wherein
2 said first contents information contains at least titles of input sources,
3 reproduction times of titles and priority information based on the situation in
4 which the input sources had been used.

1 12. A contents recording medium as claimed in claim 9, wherein
2 said table is recorded on a starting portion of a recording portion on which the
3 compressed signal of said input source was recorded.

1 13. In a method of downloading compressed data and a first
2 table from a first recording medium on which compressed data of an audio input
3 source or a video input source of an audio and video input source and said first
4 table indicating first contents information containing reproducing position
5 information concerning said input source are recorded on a second recording
6 medium, a method of downloading contents comprising the steps of:

7 downloading said first table from said first table;

8 reading out compressed data of a predetermined input source from
9 said first recording medium based on the reproducing position information of
10 said first contents information concerning a predetermined input source on said
11 first table and downloading the compressed data thus read to said second
12 recording medium;

13 memorizing recording position information useful for recording said
14 compressed data on said second recording medium;

15 creating a second table containing at least more than one second
16 contents information in which reproducing position information in said first

17 contents information concerning said predetermined input information is
18 replaced with recording position information useful for recording on said second
19 recording medium; and
20 recording said second table on a second recording medium.

1 14. A method of downloading contents as claimed in claim 13,
2 wherein the signal of said input source is compressed in accordance with an
3 MPEG standard.

1 15. A method of downloading contents as claimed in claim 13,
2 wherein said second contents information contains at least titles of input
3 sources, reproduction times of titles and priority information based on the
4 situation in which the input sources had been used.

1 16. A method of downloading contents as claimed in claim 13,
2 wherein said second table is recorded on a starting portion of a recording
3 portion on which the compressed signal of said input source was recorded.

1 17. In a contents storage and distribution apparatus having
2 downloaded thereto compressed data and a first table from a first recording
3 medium in which compressed data of an audio input source or a video input
4 source or an audio and video input source and said first table indicating first
5 contents information containing reproducing position information concerning
6 said input source are recorded together, a contents storage and distribution
7 apparatus comprising:
8 reproduction means for downloading said first table from said
9 recording medium;
10 a second recording medium having recorded thereon compressed
11 data of a predetermined input source read out from said first recording medium
12 based on reproducing position information of said first contents information
13 concerning a predetermined input source on said first table; and

14 control means for conferring recording position information useful
15 for recording said compressed data on said second recording medium and
16 creating a second table containing at least more than one second contents
17 information concerning a predetermined input source in which reproducing
18 position information in said first contents information concerning said
19 predetermined input source is replaced with recording position information for
20 recording on said second recording medium.

1 18. A contents storage and distribution apparatus as claimed in
2 claim 17, wherein the signal of said input source is compressed in accordance
3 with an MPEG standard.

1 19. A contents storage and distribution apparatus as claimed in
2 claim 17, wherein said second contents information contains at least titles of
3 input sources, reproduction times of titles and priority information based on the
4 situation in which the input sources had been used.

1 20. A contents storage and distribution apparatus as claimed in
2 claim 17, wherein said second table is recorded on a starting portion of a
3 recording portion on which the compressed signal of said input source was
4 recorded.

ABSTRACT OF THE DISCLOSURE

A method of and apparatus for creating contents in which contents information of source may be created within an authoring processing thereby to avoid a mistake from occurring when contents information is downloaded onto a server. An apparatus for creating contents information includes an A/D converting means (35) for input sources such as audio or video source, a data compression means (34) supplied with an A/D-converted or digitally-converted input source, a data adding means (37) supplied with a data-compressed or compressed input source and an information creation means (36) of contents information for input source. Since a table of contents information concerning input sources may be simultaneously saved for the authoring processing in which an input source is compressed, it is possible to remove a contents information creation work required when contents information may be downloaded onto an AV server which is restricted from a time and place standpoint.

FIG. 1





FIG. 4

60



[illegible]

[illegible]

FIG. 7





FIG. 8



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD OF AND APPARATUS FOR

CREATING CONTENTS

上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、

the specification of which is attached hereto unless the following box is checked:

☐ 月 日に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、
(該当する場合) _____ に訂正されました。☐ was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Page 1 of 3

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

Attorney Docket 21778.04100
Sony Ref. S00P0247US00

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration (日本語宣言書)

私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国外の国の少なくとも一カ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

P11-093753

(Number)

(番号)

JAPAN

(Country)

(国名)

30 March 1999

(Day/Month/Year Filed)

(出願年月日)

Priority Not Claimed

優先権主張なし

☐

(Number)

(番号)

(Country)

(国名)

(Day/Month/Year Filed)

(出願年月日)

☐

(Number)

(番号)

(Country)

(国名)

(Day/Month/Year Filed)

(出願年月日)

☐

私、第35編米国法典119条(e)項に基づいて下記の米国外の特許出願規定に記載された権利をここに主張いたします。

(Application No.)

(出願番号)

(Filing Date)

(出願日)

(Application No.)

(出願番号)

(Filing Date)

(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国外の特許出願に記載された権利、又は米国を指定している特許協力条約365条(c)に基づき権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国外の特許出願に開示されていない限り、その先行米国外出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入乎された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.)

(出願番号)

(Filing Date)

(出願日)

(Status: Patented, Pending, Abandoned)

(現況: 特許許可済、係属中、放棄済)

(Application No.)

(出願番号)

(Filing Date)

(出願日)

(Status: Patented, Pending, Abandoned)

(現況: 特許許可済、係属中、放棄済)

私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じていることに基づき表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の表明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration (日本語宣言書)

委任状: 私は下記の発明者として、本出願に関する一切の
手続きを米特許商標局に対して遂行する弁理士または代理人
として、下記の者を指名いたします。(弁護士、または代理人
の氏名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint
the following attorney(s) and/or agent(s) to prosecute this
application and transact all business in the Patent and Trademark
Office connected therewith (first name and registration number)

Philip M. Shaw, Jr.	Reg. No. 25,376	Adam H. Tachner	Reg. No. 40,343
J. William Wigert, Jr.	Reg. No. 24,582	Nathan P. Koenig	Reg. No. 38,210
Malcolm B. Wittenberg	Reg. No. 27,028		

書類送付先

Send Correspondence to:

Adam H. Tachner
Crosby, Heafey, Roach & May
P.O. Box 7936
San Francisco, CA 94120-7936

直接電話連絡先: (名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)

Adam H. Tachner
(415) 659-5911

唯一または第一発明者名	Full name of sole or first inventor MEGUMI KAMIMURA		
発明者の署名	日付	Inventor's signature	Date
		Megumi Kamimura	Feb 9, 2000
住所	Residence KANAGAWA, JAPAN		
国籍	Citizenship Japanese		
私書箱	Post Office Address c/o Sony Corporation 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, Japan		
第二共同発明者	Full name of second joint inventor, if any		
第二共同発明者	日付	Second inventor's signature	Date
住所	Residence		
国籍	Citizenship		
私書箱	Post Office Address		

(第三以降の共同発明者についても同様に記載し、署名をす
ること)

(Supply similar information and signature for third and subsequent
joint inventors.)